

DINGLE AV

www.dingle.hu rendeles@dingle.hu

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-AO1	-	Folding part AO1	7,09 €	2 801 Ft
JC-CNT01S30		Width is 30mm, For diameter30-60MM, Hosted weight30KG, Unit weight:0.25kg	3,90 €	1 541 Ft
JC-CN01S22		Width is 22mm, For diameter30-60MM, Hosted weight25KG, Unit weight:0.18kg	3,00€	1 185 Ft
JC-CN01S30	CA	Width is 30mm, For diameter30-60MM, Hosted weight30KG, Unit weight:0.23kg	2,76€	1 090 Ft
JC-CN02S22	Ph	Width is 22mm, For diameter30-60MM, Hosted weight15KG, Unit weight:0.13kg	2,10 €	830 Ft
JC-CNF03S22	10	Width is 22mm, For diameter30-70MM, Hosted weight50KG, Unit weight:0.26kg	5,55€	2 192 Ft
JC-CNF04S25	10	Width is 25mm, For diameter30-65MM, Hosted weight70KG, Unit weight:0.35kg	6,45 €	2 548 Ft
JC-CNF06S30	O.	Width is 30mm, For diameter28-58MM, Hosted weight50KG, Unit weight:0.29kg	6,00€	2 370 Ft
JC-CNT07B22	4	Width is 22mm, For diameter33-58MM, Hosted weight100KG, Unit weight:0.34kg	6,90€	2 726 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN08S30TUV	TO SERVICE STATES	Width is 30mm, For diameter41-53MM, Hosted weight200KG, Unit weight:0.33kg	6,90€	2 726 Ft
JC-ZN08S50TUV		Width is 50mm, For diameter41-53MM, Hosted weight500KG, Unit weight:0.46kg	8,31€	3 282 Ft
JC-ZN08B30 +KNOB	-	Width is 50mm, For diameter41-53MM, Hosted weight500KG, Unit weight:0.47kg	9,24€	3 650 Ft
JC- ZN08S50+half ended conicalcoupler with clips		Width is 50mm, For diameter41-53MM, Hosted weight500KG, Unit weight:0.55kg	11,55€	4 562 Ft
JC-ZN08S50+Eye bolt		Width is 50mm, For diameter41-53MM,Hosted weight500KG, Unit weight:0.61kg	9,90 €	3 911 Ft
JC- ZN08S30group TUV	Co	Width is 30mm, For diameter41-53MM, Hosted weight200KG, Unit weight:0.62kg	13,86 €	5 475 Ft
JC- ZN08S50group TUV	03	Width is 50mm, For diameter41-53MM, Hosted weight500KG, Unit weight:0.91kg	16,59€	6 553 Ft
JC-ZN09S30TUV	G	Width is 30mm, For diameter44-52MM, Hosted weight250KG, Unit weight:0.43kg	9,69 €	3 828 Ft
JC- ZN09S30TUV+kn ob	10	Width is 30mm, For diameter44-52MM, Hosted weight250KG, Unit weight:0.44kg	10,62€	4 195 Ft
JC-CN10S50	DR	Width is 50mm, For diameter44-51MM, Hosted weight200KG, Unit weight:0.38kg	8,31€	3 282 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN11S30		Width is 30mm, For diameter37-70MM, Hosted weight150KG, Unit weight:0.4kg	11,07€	4 373 Ft
JC-ZN11S40 TUV		Width is 40mm, For diameter37-70MM, Hosted weight200KG, Unit weight:0.5kg	12,90€	5 096 Ft
JC-ZN11B40	À	Width is 40mm, For diameter37-70MM, Hosted weight200KG, Unit weight:0.52KG	12,90€	5 096 Ft
JC-ZN12S30TUV	7.24	Width is 30mm, For diameter40-58MM, Hosted weight200KG, Unit weight:0.47kg	11,07€	4 373 Ft
JC-ZN12B30TUV	À	Width is 30mm, For diameter40-58MM, Hosted weight200KG, Unit weight:0.47kg	11,07€	4 373 Ft
JC-ZN13S30	150 h	Width is 30mm, For diameter41-51MM, Hosted weight200KG, Unit weight:0.43kg	10,62€	4 195 Ft
JC-ZN13S50	100 h	Width is 50mm, For diameter41-51MM, Hosted weight500KG, Unit weight:0.64kg	14,76€	5 830 Ft
JC-0S14	D	Plastic, For diameter24mm/36mm/48MM, Hosted weight20KG, Unit weight:0.23kg	5,55€	2 192 Ft
JC-CN15S25		Width is 25mm,For diameter20-60MM, Hosted weight150KG, Unit weight:0.32kg	6,90 €	2 726 Ft
JC-ZN17S30TUV		Width is 30mm, For diameter48-54MM, Hosted weight100KG, Unit weight:0.17kg	4,38€	1 730 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN17B30TUV		Width is 30mm, For diameter48-54MM, Hosted weight100KG, Unit weight:0.17kg	4,38€	1 730 Ft
JC- ZN17B30+knob TUV	Q	Width is 30mm, For diameter48-54MM, Hosted weight100KG, Unit weight:0.18kg	5,28€	2 086 Ft
JC-ZN18S30TUV		Width is 30mm, For diameter48-51MM, Hosted weight100KG, Unit weight:0.26kg	6,24€	2 465 Ft
JC-ZN18B30TUV		Width is 30mm, For diameter48-51MM, Hosted weight100KG, Unit weight:0.26kg	6,69€	2 643 Ft
JC-ZN19S30TUV	O A	Width is 30mm, For diameter35-40MM, Hosted weight75KG, Unit weight:0.13kg	3,90 €	1 541 Ft
JC-ZN19B30TUV	The state of the s	Width is 30mm, For diameter35-40MM, Hosted weight75KG, Unit weight:0.13kg	4,05 €	1 600 Ft
JC-ZN20S30TUV	The Man	Width is 30 mm, For diameter28-34MM, Hosted weight100KG, Unit weight:0.16kg	4,86 €	1 920 Ft
JC-ZN20B30TUV	No.	Width is 30mm, For diameter28-34MM, Hosted weight100KG, Unit weight:0.16kg	4,86 €	1 920 Ft
JC-ZN21S30		Width is 30mm, For diameter42-51MM, Hosted weight200KG, Unit weight:0.45kg	8,79 €	3 472 Ft
JC- ZN21B30+knob	WH WH	Width is 30mm, For diameter42-51MM, Hosted weight200KG, Unit weight:0.48kg	10,14 €	4 005 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN23S30TUV	The Contract of the Contract o	Width is 30mm, For diameter38-60MM, Hosted weight100KG, Unit weight:0.26kg	6,93 €	2 737 Ft
JC-ZN23B30TUV	4	Width is 30mm, For diameter38-60MM, Hosted weight100KG, Unit weight:0.26kg	7,38 €	2 915 Ft
JC-ZN25S30TUV		Width is 30mm, For diameter31-35MM, Hosted weight75KG, Unit weight:0.15kg	3,48 €	1 375 Ft
JC-ZN25B30TUV	The state of the s	Width is 30mm, For diameter31-35MM, Hosted weight75KG, Unit weight:0.15kg	3,69€	1 458 Ft
JC-ZN26S30		Width is 30mm, For diameter30-35MM, Hosted weight75KG, Unit weight:0.15kg	4,62 €	1 825 Ft
JC-ZN26B30	The state of the s	Width is 30mm, For diameter30-35MM, Hosted weight75KG, Unit weight:0.15kg	3,69 €	1 458 Ft
JC-ZN30S25TUV		Width is 25mm, For diameter42-60MM, Hosted weight100KG, Unit weight:0.28kg	6,69 €	2 643 Ft
JC-ZN30B25TUV		Width is 25mm, For diameter42-60MM, Hosted weight100KG, Unit weight:0.28kg	6,93 €	2 737 Ft
JC- DN30B25/A01T UV	34	Folding with key connecting bolt:M10, Clamp size:width is 25mm, For diameter42-60MM, Hosted weight100KG, Unit weight:0.45kg	10,62€	4 195 Ft
JC- DN30B25/B01	34	Connecting bolt:M10, Clamp size:width is 25mm, For diameter42-60MM, Hosted weight100KG, Unit weight:0.41kg	9,69€	3 828 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC- DN30B25/B02TU V	TO A	Hole spacing of Base: 115.5*115.5MM /106*106MM /100*63MM/80*80MM /62*96MM/ 40*57.2MM, Clamp size:width is 25mm, For diameter42-60MM, Hosted weight200KG, Unit weight:1.2kg	24,93€	9 847 Ft
JC- DN30B25/B03TU V	A	Hole spacing of Base: ①55-93MM ②101- 118MM ③118-140MM, Clamp size:width is 25mm, For diameter42-60MM, Hosted weight50KG, Unit weight:0.49kg	12,45€	4 918 Ft
JC-ZN33S25TUV		Width is 25mm, For diameter38-60MM, Hosted weight80KG, Unit weight:0.26kg	6,24€	2 465 Ft
JC-ZN33B25TUV		Width is 30mm, For diameter38-60MM, Hosted weight80KG, Unit weight:0.26kg	6,69€	2 643 Ft
JC- DN33B25/A01T UV	34	Connecting bolt:M10, Clamp size:width is 25mm, For diameter38-60MM, Hosted weight80KG, Unit weight:0.38kg	11,07€	4 373 Ft
JC- DN33B25/B01TU V	A.	Connecting bolt:M10, Clamp size:width is 25mm, For diameter38-60MM, Hosted weight80KG, Unit weight:0.34kg	9,21€	3 638 Ft
JC- DN30B25/B03TU V		Hole spacing of Base: ①55-93MM ②101- 118MM ③118-140MM, Clamp size:width is 25mm, For diameter38-60MM, Hosted weight50KG, Unit weight:0.49kg	11,07€	4 373 Ft
JC- DN39S25/B01	CT.	Connecting bolt:M10, Clamp size:width is 25mm, For diameter48-50MM, Hosted weight150KG, Unit weight:0.4kg	11,55€	4 562 Ft
JC- DN39S25/A01		Connecting bolt:M10, Clamp size:width is 25mm, For diameter48-50MM, Hosted weight150KG, Unit weight:0.45kg	12,93€	5 107 Ft
JC- DN39S25/B03	T.	Hole spacing of Base: ①55-93MM ②101- 118MM③118-140MM, Clamp size:width is 25mm, For diameter35-60MM, Hosted weight150KG, Unit weight:0.49kg	12,93€	5 107 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN41S30 Silvery		Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.28kg	11,55€	4 562 Ft
JC-ZN41B30 Black	Che	Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.28kg	12,00€	4 740 Ft
JC- DN41S30/A01		Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.42kg	16,14 €	6 375 Ft
JC- DN41B30/A01		Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.42kg	16,62€	6 565 Ft
JC-ZN43S30TUV	Q	Width is 30mm, For diameter50MM, Hosted weight100KG, Unit weight:0.2kg	6,93 €	2 737 Ft
JC-ZN43B30TUV		Width is 30mm, For diameter50MM, Hosted weight100KG, Unit weight:0.2kg	7,38€	2 915 Ft
JC- DN43S30/A01TU V		Connecting bolt:M10, Width is 30mm, For diameter50MM, Hosted weight100KG, Unit weight:0.36kg	11,55€	4 562 Ft
JC- DN43B30/A01T UV		Connecting bolt:M10, Width is 30mm, For diameter50MM, Hosted weight100KG, Unit weight:0.36kg	12,00€	4 740 Ft
JC- DN43S30/A03	D	Hole spacing of Base: ①55-93MM ②101-118MM(③118-140MM, Clamp size:width is 30mm, For diameter50MM, Hosted weight100KG, Unit weight:0.43kg	12,00€	4 740 Ft
JC-ZN47S30TUV		Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.28kg	11,55€	4 562 Ft

Code	Photo	Description	Nettó listaár €	Nettó listaár HUF
JC-ZN47B30TUV	C	Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.28kg	12,00€	4 740 Ft
JC- DN47S30/A01TU V		Connecting bolt:M10, Width is 30mm, For diameter48-50MM, Hosted weight100KG, Unit weight:0.42kg	16,14€	6 375 Ft
JC- DN47B30/A01T UV	3	Connecting bolt:M10, For diameter48-50MM, Hosted weight100KG, Unit weight:0.42kg	16,62€	6 565 Ft
JC- SWTSPA4*85P	9	4*85CM	1,41 €	557 Ft
JC- SWTBPA4*85P	8	4*85CM	1,86€	735 Ft
JC- SWTSPA3*75P	9	3*75CM	1,29€	510 Ft